

PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

BUTALONE GRANULES

ANALGESIC AND ANTI-INFLAMMATORY

PHENYLBUTAZONE 1g / 1.3g

As an analgesic and anti-inflammatory in the treatment of musculoskeletal disorders in horses.



100g Net
MADE IN AUSTRALIA FROM IMPORTED AND LOCAL INGREDIENTS

Logo = 42.3mm

DIRECTIONS FOR USE: Administration to horses with cardiac, renal or hepatic disease is contraindicated. Concurrent use with other NSAIDs or corticosteroids is contraindicated. Use with caution in foals and ponies as they exhibit increased sensitivity to phenylbutazone toxicity. Discontinue therapy if signs of diarrhoea, lethargy, inappetence, and/or gastric ulceration or vascular disorders are observed.

DOSAGE and ADMINISTRATION: Each level measure (1.3g) contains approximately Phenylbutazone 1g.

HORSES: 2.2 - 8.8mg/kg/day as directed by the veterinary surgeon. Reduce daily dose to lowest level producing desired clinical response. Example regimen (450kg horse) 2 level measures twice daily (4.4mg/kg bid) for the first day, then 1 level measure twice daily (2.2mg/kg bid) for 4 days then 1 level measure once daily (2.2mg/kg od) or on alternate days.

PONIES: 2.2 - 4.4mg/kg/day as directed by the veterinary surgeon. Reduce daily dose to the lowest level producing desired clinical response. Example regimen (225kg pony) give 1/2 level measure twice daily (2.2mg/kg bid) for 4 days, then 1/2 level measure once daily (2.2mg/kg od) or on alternate days.

Contents of sachet may be mixed well with a little dry hay or oats.

If using in performance animals, regulations of relevant authorities regarding medications should be observed.

MEAT WITHHOLDING PERIOD: NOT TO BE USED in horses that may be slaughtered for human consumption.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre Phone 131 126.

APEX LABORATORIES PTY LTD

61 Chivers Road, Somersby, NSW 2250, Australia

Dispose of empty container by wrapping with paper and placing in garbage.

Store below 30°C (room temperature)

APVMA 33620/100G/0406

Batch

Expiry

Label image proudly supplied by


Infopest
infopest@dpi.qld.gov.au



Corner Ra
1.5m

Die Li
not

Mauve
247

white type
reversed out
of cool grey 10



PRESCRIPTION ANIMAL REMEDY

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

BUTALONE GRANULES

ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to
PHENYLBUTAZONE 1g.

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses

100 x 1.3g Sachets

MADE IN AUSTRALIA FROM IMPORTED AND LOCAL INGREDIENTS



DIRECTIONS FOR USE: Administration to horses with cardiac, renal or hepatic disease is contraindicated. Concurrent use with other NSAIDs or corticosteroids is contraindicated. Use with caution in foals and ponies as they exhibit increased sensitivity to phenylbutazone toxicity. Discontinue therapy if signs of diarrhoea, lethargy, inappetence, oral or gastric ulceration or vascular disorders are observed.

DOSAGE and ADMINISTRATION:

HORSES: 2.2 - 8.8mg/kg/day as directed by the veterinary surgeon. Reduce daily dose to lowest level producing desired clinical response. Example regimen (450kg horse): 2 sachets twice daily (4.4mg/kg bid) for the first day, then 1 sachet twice daily (2.2mg/kg bid) for 4 days then 1 sachet once daily (2.2mg/kg sid) or an alternate days.

PONIES: 2.2-4.4mg/kg/day as directed by the veterinary surgeon. Reduce daily dose to the lowest level producing desired clinical response. Example regimen (225kg pony) give 1/2 sachet twice daily (2.2mg/kg bid) for 4 days, then 1/2 sachet once daily (2.2mg/kg sid) or an alternate days.

Contents of sachet may be mixed well with a little dry bran or oats.
If using in performance animals regulations of relevant authorities regarding medications should be observed.

MEAT WITHHOLDING PERIOD: NOT TO BE USED in horses that may be slaughtered for human consumption.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre Phone 131 126.

APEX LABORATORIES PTY LTD

61 Chivers Road, Somersby, NSW 2250, Australia

Dispose of empty container by wrapping with paper and putting in garbage
Store below 30°C (room temperature).

~PVMA: 35620/005/0406

Batch: Expiry:

100mm



PRESCRIPTION ANIMAL REMEDY

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

BUTALONE GRANULES

ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to
PHENYLBUTAZONE 1g.

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses.

300 x 1.3g Sachets

MADE IN AUSTRALIA FROM IMPORTED AND LOCAL INGREDIENTS



DIRECTIONS FOR USE: Administration to horses with cardiac, renal or hepatic disease is contraindicated. Concurrent use with other NSAIDs or corticosteroids is contraindicated. Use with caution in foals and ponies as they exhibit increased sensitivity to phenylbutazone toxicity. Discontinue therapy if signs of diarrhoea, lethargy, inappetence, oral or gastric ulceration or vascular disorders are observed.

DOSAGE and ADMINISTRATION:

HORSES: 2.2 - 8.8mg/kg/day as directed by the veterinary surgeon. Reduce daily dose to lowest level producing desired clinical response. Example regimen (450kg horse): 2 sachets twice daily (4.4mg/kg bid) for the first day, then 1 sachet twice daily (2.2mg/kg bid) for 4 days then 1 sachet once daily (2.2mg/kg sid) or an alternate days.

PONIES: 2.2-4.4mg/kg/day as directed by the veterinary surgeon. Reduce daily dose to the lowest level producing desired clinical response. Example regimen (225kg pony) give 1/2 sachet twice daily (2.2mg/kg bid) for 4 days, then 1/2 sachet once daily (2.2mg/kg sid) or an alternate days.

Contents of sachet may be mixed well with a little dry bran or oats.
If using in performance animals regulations of relevant authorities regarding medications should be observed.

MEAT WITHHOLDING PERIOD: NOT TO BE USED in horses that may be slaughtered for human consumption.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre Phone 131 126.

APEX LABORATORIES PTY LTD

61 Chivers Road, Somersby, NSW 2250, Australia

Dispose of empty container by wrapping with paper and putting in garbage
Store below 30°C (room temperature).

APVMA: 35620/3005/0406

Batch: Expiry:

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

BUTALONE GRANULES ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to
PHENYLBUTAZONE 1g

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses.

1.3g Net

MADE IN AUSTRALIA FROM LOCAL AND
IMPORTED INGREDIENTS

DIRECTIONS FOR USE:
See container label for full directions.
HORSES 450kg: 2.2 - 8.8 mg/kg/day then reduce,
as directed by the veterinary surgeon.
PONIES 225kg: 2.2 - 4.4 mg/kg/day then reduce,
as directed by the veterinary surgeon.

MEAT WITHHOLDING PERIOD:
NOT TO BE USED in horses that may be
slaughtered for human consumption.

FIRST AID: If poisoning occurs contact a doctor or
Poisons Information Centre Phone 131 126

APEX LABORATORIES PTY LTD
61 Chivers Road, Somersby NSW 2250 Australia
Dispose of empty container by wrapping
with paper and putting in garbage.
Store below 30°C (room temperature)
Batch: Expiry
APVMA Approval No.: 35620/0406

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

BUTALONE GRANULES ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to
PHENYLBUTAZONE 1g

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses.

1.3g Net

MADE IN AUSTRALIA FROM LOCAL AND
IMPORTED INGREDIENTS

DIRECTIONS FOR USE:
See container label for full directions.
HORSES 450kg: 2.2 - 8.8 mg/kg/day then reduce,
as directed by the veterinary surgeon.
PONIES 225kg: 2.2 - 4.4 mg/kg/day then reduce,
as directed by the veterinary surgeon.

MEAT WITHHOLDING PERIOD:
NOT TO BE USED in horses that may be
slaughtered for human consumption.

FIRST AID: If poisoning occurs contact a doctor or
Poisons Information Centre Phone 131 126

APEX LABORATORIES PTY LTD
61 Chivers Road, Somersby NSW 2250 Australia
Dispose of empty container by wrapping
with paper and putting in garbage.
Store below 30°C (room temperature)
Batch: Expiry
APVMA Approval No.: 35620/0406

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

BUTALONE GRANULES ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to
PHENYLBUTAZONE 1g

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses.

1.3g Net

MADE IN AUSTRALIA FROM LOCAL AND
IMPORTED INGREDIENTS

DIRECTIONS FOR USE:
See container label for full directions.
HORSES 450kg: 2.2 - 8.8 mg/kg/day then reduce,
as directed by the veterinary surgeon.
PONIES 225kg: 2.2 - 4.4 mg/kg/day then reduce,
as directed by the veterinary surgeon.

MEAT WITHHOLDING PERIOD:
NOT TO BE USED in horses that may be
slaughtered for human consumption.

FIRST AID: If poisoning occurs contact a doctor or
Poisons Information Centre Phone 131 126

APEX LABORATORIES PTY LTD
61 Chivers Road, Somersby NSW 2250 Australia
Dispose of empty container by wrapping
with paper and putting in garbage.
Store below 30°C (room temperature)
Batch: Expiry
APVMA Approval No.: 35620/0406

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

BUTALONE GRANULES ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to
PHENYLBUTAZONE 1g

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses.

1.3g Net

MADE IN AUSTRALIA FROM LOCAL AND
IMPORTED INGREDIENTS

DIRECTIONS FOR USE:
See container label for full directions.
HORSES 450kg: 2.2 - 8.8 mg/kg/day then reduce,
as directed by the veterinary surgeon.
PONIES 225kg: 2.2 - 4.4 mg/kg/day then reduce,
as directed by the veterinary surgeon.


MEAT WITHHOLDING PERIOD:
NOT TO BE USED in horses that may be
slaughtered for human consumption.

FIRST AID: If poisoning occurs contact a doctor or
Poisons Information Centre Phone 131 126

APEX LABORATORIES PTY LTD
61 Chivers Road, Somersby NSW 2250 Australia
Dispose of empty container by wrapping
with paper and putting in garbage.
Store below 30°C (room temperature)
Batch: Expiry
APVMA Approval No.: 35620/0406

Pharmaprint	
PLEASE CHECK THIS PROOF CAREFULLY	
Description	Client: APEX LABORATORIES Client Code: LB-BUTGRAN5C
Colour	BLACK
Unwind Direction: RT	Eye Mark Position: LEFT & RIGHT Registration Tolerance: 60.33 ±0.5mm
Operator: JAN CARTER	Version: 03 Job Bag No.: 1P037 On/No: T1A
Client Approval of Proof	TCA Authorises Pharmaprint to proceed with making plate.
Sign:	Date: Sign: Date:

PHARMAPRINT ACCEPT NO RESPONSIBILITY FOR ERRORS IN PROOF ONCE APPROVED BY CLIENT



241.3 mm repeat / 60.33 mm registered repeat

120 mm web width / 57 mm centre to centre

Repeated Element at 200%

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

BUTALONE GRANULES ANALGESIC AND ANTI-INFLAMMATORY

Each sachet contains tasteless granules equivalent to:
PHENYLBUTAZONE 1g

As an analgesic and anti-inflammatory in the
treatment of musculoskeletal disorders in horses.

1.3g Net

MADE IN AUSTRALIA FROM LOCAL AND
IMPORTED INGREDIENTS

DIRECTIONS FOR USE:

See container label for full directions.
HORSES 450kg: 2.2 - 8.8 mg/kg/day then reduce,
as directed by the veterinary surgeon
PONIES 225kg: 2.2 - 4.4 mg/kg/day then reduce,
as directed by the veterinary surgeon.

MEAT WITHHOLDING PERIOD:
NOT TO BE USED in horses that may be
slaughtered for human consumption.

FIRST AID: If poisoning occurs contact a doctor or
Poisons Information Centre Phone 131 126

APEX LABORATORIES PTY LTD
61 Chivers Road, Somersby NSW 2250 Australia
Dispose of empty container by wrapping
with paper and putting in garbage.

Store below 30°C (room temperature)

Batch: Expiry:

APVMA Approval No.: 35620/0406