

DRAFT CARTON
FRONT PANEL
LAB0043

PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

VibraVet* 100 Tablets For Large Dogs

Each tablet contains **100 mg DOXYCYCLINE** as monohydrate

Antibiotic

for the treatment of infections caused by or associated with
doxycycline-susceptible organisms in large dogs.

150 Tablets



Pfizer [logo]

*Trademark

**DRAFT CARTON
BOTTOM PANEL
LAB0043**

Pfizer [logo] Made in Australia for
Animal Health
A Division of Pfizer Pty. Limited
Wharf Rd, West Ryde, NSW 2114
Licensed to and Distributed in NZ by
Pfizer Laboratories Limited
Osterley Way, Manukau City

PM Dispose of empty container by wrapping with paper and putting in garbage

**DRAFT CARTON
REAR PANEL
LAB0043**

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

VibraVet 100 Tablets For Large Dogs

Each tablet contains **100 mg DOXYCYCLINE** as monohydrate

Antibiotic

for the treatment of infections caused by or associated with doxycycline-susceptible organisms in large dogs.

150 Tablets

Pfizer [logo]

*Trademark

**DRAFT LABEL
TOP PANEL
LAB0043**

DIRECTIONS FOR USE :

READ THE ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

For large dogs a loading dose of 5 mg doxycycline/kg should be administered followed at 12 hourly intervals by two doses of 2.5 mg/kg. Maintenance doses of 2.5 mg/kg are then given as single doses at 24 hour intervals for a further 5 days.

(See dosage guide on enclosed leaflet.)

	Loading Dose	2nd Dose	3rd Dose	4th to 8th Dose
Tablets/40 kg bodyweight	2	1	1	1
Dose Interval (hours)		12	12	24

Prescription Animal Remedy (P.A.R) Class I.

For use only following a veterinary consultation.

Licensed under the Animal Remedies Act,
1967 No. 6928

NRA Approval No. 46161/0700

Store below 30°C (Room Temperature)

**DRAFT LABEL
END PANEL 1
LAB0043**

VibraVet 100 Tablets

For Large Dogs

Each tablet contains **100 mg DOXYCYCLINE**
as monohydrate

150 Tablets

Pfizer [logo]

**DRAFT LABEL
END PANEL 2
LAB0043**

VibraVet 100 Tablets

**Each tablet contains 100 mg DOXYCYCLINE
as monohydrate**

Licensed under the Animal Remedies Act,
1967 No. 6928 NRA Approval No. 46161/0700

Store below 30°C (Room Temperature)

[B]

Exp

**PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

VibraVet*

VibraVet 50 Tablets For Cats and Dogs:

Each scored tablet contains 50 mg of doxycycline (as monohydrate)

VibraVet 100 Tablets For Large Dogs:

Each scored tablet contains 100 mg of doxycycline (as monohydrate)

VibraVet 100 Paste For Cats and Dogs:

Each g paste contains 100 mg of doxycycline (as monohydrate)

BROAD SPECTRUM ANTIBIOTIC

VibraVet contains the broad spectrum antibiotic doxycycline, an advanced analogue of the tetracycline family. Doxycycline has a variety of features that make it extremely effective as a broad spectrum antibacterial agent in cats and dogs. Some key features of doxycycline are:

- 1 Absorption via the oral route is virtually complete and extremely rapid. As a result, serum levels of doxycycline reach concentrations comparable to those following intravenous administration and maintenance doses after the first day are much reduced.
- 2 VibraVet can be administered to patients with severe renal dysfunction because the primary route of excretion of doxycycline is through the enteric route.
- 3 VibraVet is highly lipophilic resulting in efficient tissue penetration.
- 4 VibraVet can be administered with food or milk without markedly impairing its absorption.

VibraVet is effective against important pathogens which affect dogs and cats including *Staphylococcus* spp, *Streptococcus* spp, *Escherichia coli*, *Pasteurella* spp, *Klebsiella* spp, *Proteus* spp, *Pseudomonas* spp, *Enterobacter* spp, *Actinobacter* spp and *Alcaligines* spp, as well as *Mycoplasma* spp and *Chlamydia* spp.

INDICATIONS

VibraVet is indicated for the treatment of infections in dogs and cats caused by doxycycline-sensitive organisms including:

- skin, eg pyoderma, folliculitis
- respiratory infections, eg rhinitis, pharyngitis, bronchitis, pneumonia
- urogenital infections
- gastrointestinal tract infections
- puerperal infections
- osteomyelitis
- otitis media

DIRECTIONS FOR USE

Do not use in pregnant bitches in the last 3 weeks of pregnancy and in new born animals during the first month of life.

The dose rate for cats and dogs is 5 mg of doxycycline per kg bodyweight as a loading dose, then 2.5 mg/kg every 12 hours for two doses then a maintenance dose of 2.5 mg/kg every 24 hours. The recommendation should be made when dispensing doxycycline that it be administered either in conjunction with or immediately following feeding.

The following table is intended as a guide to dispensing VibraVet tablets and Paste:

Adult Dogs/Cats - VibraVet 100 paste (2.5 g net content)					
Bodyweight	5 kg	10 kg	20 kg	30 kg	40 kg
Loading dose of paste (g)	0.25	0.5	1.0	1.5	2.0
Follow up dose (g)	0.25	0.25	0.5	0.75	1.0
Adult Dogs/Cats - VibraVet 50 tablet					
Bodyweight	5 kg	10 kg	20 kg	30 kg	40 kg
Loading Dose	0.5 tab	1.0 tab	2.0 tab	3.0 tab	4.0 tab
Follow up dose	0.25 tab	0.5 tab	1.0 tab	1.5 tab	2.0 tab
Large Dogs - VibraVet 100 tablet					
Bodyweight	20 kg	30 kg	40 kg	50 kg	60 kg
Loading Dose	1.0 tab	1.5 tab	2.0 tab	2.5 tab	3.0 tab
Follow up dose	0.5 tab	0.75 tab	1.0 tab	1.25 tab	1.5 tab

DURATION OF THERAPY

Therapy should be continued for 5-7 days or for 48 hours after all symptoms have subsided.

CHRONIC OR REFRACTORY CASES

In chronic or refractory cases a longer course of therapy may be required. Based on local clinical multi-centre trials, the following durations are suggested as guidelines

Chronic skin disease	10 - 20 days
Chronic cystitis	10 - 28 days
Respiratory disease	8 - 10 days

LEAFLET(cont)
LAB0043

SIDE EFFECTS

Vomiting may occur as an uncommon side-effect.

PRECAUTIONS

The use of tetracyclines in young animals prior to the eruption of adult teeth may lead to permanent yellow staining of teeth.

Antacids containing aluminium, calcium and magnesium salts may affect the absorption of doxycycline and therefore should not be given to animals being treated with VibraVet.

DISPOSAL

Dispose of empty container by wrapping with paper and putting in garbage

PACKAGING

Foil-sealed blister pack containing 15 scored tablets. Oral dosing syringe containing 2.5 g of paste in a tray pack.

Prescription Animal Remedy (P.A.R.) Class I

For use only following a veterinary consultation.

Licensed under the Animal Remedies Act, 1967

No 6078 (VibraVet 50 Tablets For Cats and Dogs)

No 6928 (VibraVet 100 Tablets For Large Dogs)

No 6077 (VibraVet 100 Paste For Cats and Dogs)

NRA Nos. 37879/0700,46161/0700, 45624/0700

Tablets; Store below 30°C (Room Temperature)

Paste; Store below 25°C (Air Conditioning)

Tablets made in Australia by Pfizer Pty. Limited

Paste made in USA by Pfizer Inc. for

Pfizer Animal Health

A Division of Pfizer Pty. Limited

Wharf Rd, West Ryde, NSW 2114

Licensed to and Distributed in NZ by.

Pfizer Laboratories Limited

Osterley Way, Manukau City.

PM _____