

PRESCRIPTION ANIMAL REMEDY
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY

ilium
Enrotril
Antibacterial Injection

ACTIVE CONSTITUENT: 50mg/mL Enrofloxacin

For the treatment of diseases caused by susceptible bacterial pathogens in dogs and cats

ilium 50mL

READ THE ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE
RESTRAINTS
DO NOT USE in food producing species of animals. FOR USE ONLY in companion animals where culture and sensitivity testing indicate no suitable alternative.

CONTRAINDICATIONS
This product is contraindicated for use in dogs less than one year of age, or cats less than 12 weeks of age.

DOSAGE AND ADMINISTRATION
Use the contents of this vial within six months of initial breach. Discard the unused portion.

Cat	5 mg/kg per day by subcutaneous injection equivalent to:
Dog	1 mL Enrotril Injection per 10 kg bodyweight.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126



TROY LABORATORIES PTY. LIMITED
99 LONG STREET, SMITHFIELD NSW 2164
W: www.troylab.com.au E: info@troylab.com.au

DISPOSAL
Dispose of empty container by wrapping with paper and putting in the garbage.


STORAGE
Store below 30°C (Room temperature)

APVMA Approval No.: 61074/50ML/0707
Batch: _____
Expiry: _____

L10044

File Name: 61074_42645_50ML_LABEL_MPL_V1
Dimensions: 130x37mm
Scale: A4 = 100% to scale
Date: 12 July 2007



Ozart

Graphic Design & Print Management

Contact: Amanda Ward-Collins
p 02 9973 3292 f 02 9973 3272 e ozartadv@bigpond.net.au a 47 Riverview Road, Avalon NSW 2107