

Product Name: CORTAVANCE CUTANEOUS SPRAY SOLUTION FOR DOGS
APVMA Approval No: 61129/121943



Label Name:	CORTAVANCE CUTANEOUS SPRAY SOLUTION FOR DOGS
Signal Headings:	PRESCRIPTION ANIMAL REMEDY KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS
Constituent Statements:	0.584 mg/mL Hydrocortisone Aceponate
Claims:	For the symptomatic relief of inflammatory and pruritic skin conditions when used under the direction of a veterinarian. Aids in the reduction of dermatological signs in localised lesions associated with flea allergy dermatitis.
Net Contents:	31 mL, 76 mL
Directions for Use:	
Restrains:	DO NOT USE on food producing animals.
Contraindications:	This product is contraindicated for use on cutaneous ulcers.
Precautions:	<p>In case of concurrent lesions of bacterial, fungal or parasitic origin, the infectious condition should be controlled by an adequate treatment, the use of which (time, duration, dosage) being under prescription of the veterinarian.</p> <p>In the absence of specific information, the use in animals suffering from Cushing's syndrome shall be based on the risk-benefit assessment.</p> <p>Since glucocorticoids are known to slow growth, use in young animals (under 7 months of age) shall be based on the risk-benefit assessment and subject to regular clinical evaluations.</p> <p>Care should be taken to avoid spraying into the eyes of the animal.</p>

	<p>The safety of Cortavance spray in breeding, pregnant or lactating dogs has not been established. Therefore, its use is not recommended in these classes of dogs.</p> <p>This product has not been evaluated for extended use. For conditions requiring more than 7 days consecutive use, the responsible veterinarian should subject the use of the product to a risk-benefit assessment taking into consideration the effects of long term corticosteroid administration.</p> <p>Total body surface treated should not exceed a surface corresponding to the treatment of two flanks from spine to mammary chains including the shoulders and thighs (1/3rd of the dog's body).</p>
--	---

Side Effects:	
---------------	--

Dosage and Administration:	<p>For topical administration to the skin. No need to rub in.</p> <p>Before administration, screw the pump on the bottle.</p> <p>The product is then applied by activating the pump spray from a distance of about 10 cm above the affected area. The recommended dose is 1.52 µg/cm² of hydrocortisone aceponate/cm² of affected skin per day.</p> <p>This dosage can be achieved by two pump activations over a surface area to be treated equivalent to a 10 cm x 10 cm².</p> <p>Efficacy studies were conducted to support a dose of 1.52 µg/cm² for a 10x10 cm² area. Where lesion is less than 10x10 cm², the prescribing veterinarian may consider adjusting the dose down.</p> <p>Repeat the treatment ONCE daily for 7 consecutive days.</p>
----------------------------	---

General Directions:	
---------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

Safety Directions:	Will irritate the eyes. Avoid contact with eyes. If product in eyes, wash out immediately with water. Wash hands after use.
--------------------	---

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.
-------------------------	--

First Aid Warnings:	<p>May cause allergy.</p> <p>WARNING - May cause birth defects.</p>
---------------------	---

Additional User Safety:	Spray in a well ventilated area.
-------------------------	----------------------------------

	Flammable. Do not spray on naked flame or incandescent material or smoke while handling product.
--	--

Environmental Statements:	
---------------------------	--

Disposal:	Dispose of empty container by wrapping with paper and putting in garbage.
-----------	---

Storage:	Store below 30 °C (Room Temperature). Protect from light.
----------	---